

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L12	24	(TV television) NEAR (rating rate\$1 rank\$3 evaluat\$3 assess\$3) WITH (target\$3 individual\$4 custom\$4 tailor\$3 aim\$3) NEAR (program\$4 content ad advertis\$5 media multimedia)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/20 18:11
L13	42	(server "head-end" headend provider distribut\$2) WITH (evaluat\$3 analy\$4 rating rate\$1 rank\$3 assess\$3 determin\$3) WITH (behavior\$2 habit prefer\$5 pattern) WITH (user viewer customer televiewer subscriber) WITH (categor\$5 cluster\$3 group\$3 aggregat\$3) WITH ("non-demographically" "not demographic" "not demographically" genre type common popular) WITH (categor\$3 group cluster)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/20 18:13
L14	0	(cluster\$3 group\$3 categor\$7 assembl\$3 aggregat\$3) SAME (receiv\$3 accept\$3 gather\$3) WITH (behavior\$2 habit prefer\$5 pattern) NEAR (data information) SAME (process\$3 evaluat\$3 rating rate\$1 rank\$3 assess\$3 determin\$3) WITH (television TV) NEAR (behavior\$2 habit pattern prefer\$4 interest) NEAR (view\$3 watch\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/20 18:14
L15	680	(categor\$3 group cluster) NEAR (train\$3 learn\$3) WITH (cluster\$3 group\$3 assembl\$3 aggregat\$3 categor\$7) WITH (behavior\$3 pattern habit prefer\$4 interest) NAER (view\$3 watch\$3) WITH (categor\$3 cluster group aggregat\$3) WITH (predetermin\$2 preset) NEAR2 (period duration time interval)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/20 18:15

L16	17	(generat\$3 creat\$3 start\$3) WITH (behavior\$2 pattern habit prefer\$4 interest) NEAR (profile\$3 characteri\$6 record information) WITH (target\$3 aim\$3 focus\$3) NEAR2 (cluster group assembl\$3 aggregat\$3 categor\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/20 18:16
L18	0	(generat\$3 creat\$3 start\$3) NEAR (ad advertis\$4 commercial infomercial) NEAR2 (criteri\$2 model paradigm pattern) WITH (remov\$3 filter\$3 discard \$3 eliminat\$3 eras\$3) WITH (parameter attribute value information data) NEAR2 (common general trivial standard popular banal) WITH (profile characteri\$6 record information)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/20 18:17
L19	3	(client user receiver customer subscriber) WITH (classif\$7 categori\$6 group\$3 aggregat\$3 cluster \$3) WITH (user customer subscriber client) WITH (categor\$3 group cluster assembl\$3 aggregat\$3) WITH (ad advertis\$3 commercial infomercial) NEAR2 (prototype criteri\$2 model paradigm pattern type) WITH (cluster\$3 group\$3 assembl\$3 aggregat\$3) NEAR (engine software system module)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/20 18:19
L20	151	(context\$3 content) NEAR2 (profil\$3 characteri\$6 record information) WITH (client receiver user customer subscriber) WITH (view\$3 watch\$3) NEAR (behavior pattern habit prefer\$4 interest)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/20 18:21
L21	84	(behavior\$2 habit pattern preferences\$1 interest) NEAR (model paradigm prototype) WITH (stor\$3 sav\$3 preserv\$3 repository database) WITH (client receiver user customer subscriber local) WITH (profil\$3 characteri\$6 record information)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/20 18:22

L22	0	12 AND 13 AND 15 AND 16 AND 19 AND 20 AND 21	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/20 18:23
L23	4367	((725/46,34,35) or (705/14.49,14.52,14.53,14.66,14.67) or (707/899)). OCLS.	US-PGPUB; USPAT	OR	OFF	2010/10/20 18:27
L25	1122	23 AND (@ad<"20010109" @rlad<"20010109")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/20 18:28
L26	1	15 AND 25	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2010/10/20 18:30
S43	0	("(5758257 6020883 20060150216).pn.").PN.	US-PGPUB; USPAT	OR	OFF	2010/10/20 10:24
S44	3	(5758257 6020883 20060150216).pn.	US-PGPUB; USPAT	OR	ON	2010/10/20 10:25
S45	0	S44 and (train\$3 learn\$3)	US-PGPUB; USPAT	OR	ON	2010/10/20 10:29
S46	1	((6177931 6445261).pn.) AND (train\$3 learn\$3)	US-PGPUB; USPAT	OR	ON	2010/10/20 10:49
S47	0	((6177931 6445261).pn.) AND (train\$3 learn\$3) NEAR (period duration interval time)	US-PGPUB; USPAT	OR	ON	2010/10/20 10:54
S48	0	((20020118954 20050047752).pn.) AND (train\$3 learn\$3) NEAR (period duration interval time)	US-PGPUB; USPAT	OR	ON	2010/10/20 14:17
S49	0	((6698020 6057872).pn.) AND (train\$3 learn\$3) NEAR (period duration interval time)	US-PGPUB; USPAT	OR	ON	2010/10/20 14:26

EAST Search History (Interference)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	(TV television) NEAR (rat\$3 rank\$3 evaluat\$3 assess\$3) WITH (target\$3 individual\$4 custom\$7 tailor\$3 aim\$3) NEAR (program\$4 content ad advertis\$5 media multimedia).clm.	USPAT; UPAD	OR	ON	2010/10/20 18:00
L2	3	(server "head-end" headend provider distribut\$2) WITH (evaluat\$3 analy\$4 rat\$3 rank\$3 assess\$3 determin\$3) WITH (behavior\$2 habit prefer\$5 pattern) WITH (user viewer customer televiwer subscriber) WITH (categ\$5 cluster\$3 group\$3 aggregat\$3) WITH ("non-demographically" "not demographic" "not demographically" genre type common popular) WITH (categ\$3 group cluster).clm.	USPAT; UPAD	OR	ON	2010/10/20 18:01
L4	0	(cluster\$3 group\$3 categor\$7 assembl\$3 aggregat\$3) SAME (receiv\$3 accept\$3 gather\$3) WITH (behavior\$2 habit prefer\$5 pattern) NEAR (data information) SAME (process\$3 evaluat\$3 rat\$3 rank\$3 assess\$3 determin\$3) WITH (television TV) NEAR (behavior\$2 habit pattern prefer\$4 interest) NEAR (view\$3 watch\$3).clm.	USPAT; UPAD	OR	ON	2010/10/20 18:02
L5	183	(categ\$3 group cluster) NEAR (train\$3 learn\$3) WITH (cluster\$3 group\$3 assembl\$3 aggregat\$3 categor\$7) WITH (behavior\$3 pattern habit prefer\$4 interest) NAER (view\$3 watch\$3) WITH (categ\$3 cluster group aggregat\$3) WITH (predetermin\$2 preset) NEAR2 (period duration time interval).clm.	USPAT; UPAD	OR	ON	2010/10/20 18:03

L6	2	(generat\$3 creat\$3 start\$3) WITH (behavior\$2 pattern habit prefer\$4 interest) NEAR (profile\$3 characteri\$6 record information) WITH (target\$3 aim\$3 focus\$3) NEAR2 (cluster group assembl\$3 aggregat\$3 categor\$4).clm.	USPAT; UPAD	OR	ON	2010/10/20 18:04
L7	0	(generat\$3 creat\$3 start\$3) NEAR (ad advertis\$4 commercial infomercial) NEAR2 (criteri\$2 model paradigm pattern) WITH (remov\$3 filter\$3 discard\$3 eliminat\$3 eras\$3) WITH (parameter attribute value information data) NEAR2 (common general trivial standard popular banal) WITH (profile characteri\$6 record information).clm.	USPAT; UPAD	OR	ON	2010/10/20 18:05
L8	0	(client user receiver customer subscriber) WITH (classi\$7 categori\$6 group\$3 aggregat\$3 cluster\$3) WITH (user customer subscriber client) WITH (categor\$3 group cluster assembl\$3 aggregat\$3) WITH (ad advertis\$3 commercial infomercial) NEAR2 (prototype criteri\$2 model paradigm pattern type) WITH (cluster\$3 group\$3 assembl\$3 aggregat\$3) NEAR (engine software system module).clm.	USPAT; UPAD	OR	ON	2010/10/20 18:06
L9	5	(context\$3 content) NEAR2 (profil\$3 characteri\$6 record information) WITH (client receiver user customer subscriber) WITH (view\$3 watch\$3) NEAR (behavior pattern habit prefer\$4 interest).clm.	USPAT; UPAD	OR	ON	2010/10/20 18:07
L10	5	(behavior\$2 habit pattern preferences\$1 interest) NEAR (model paradigm prototype) WITH (stor\$3 sav\$3 preserv\$3 repository database) WITH (client receiver user customer subscriber local) WITH (profil\$3 characteri\$6 record information).clm.	USPAT; UPAD	OR	ON	2010/10/20 18:07
L11	0	2 AND 5 AND 6 AND 9 AND 10	USPAT; UPAD	OR	ON	2010/10/20 18:09

10/20/10 6:36:37 PM

H:\east\workspaces\10043714.wsp